

HANSE 540E





HANSE 540E



Main Info

Model	Hanse 540e
Manufacturer	Hanseyachts AG (GER)
Designer	judel/vrolijk & co.
Category	Performance-Cruiser
Year	2008
Location	Türkei
Flag	Austria
VAT status	excl. VAT
Material	GRP
Rig	Sloop
Cabins	3
Berths	6

Dimensions & Material

LOA	16.08 m
LWL	14.60 m
Beam	4.91 m
Draft	2.80 m
Displacement	18.7 t
Sail area	143 m²
Engine	YANMAR 4JH4-HTE
Power	110 PS/81 KW
Drive	Shaft with MAXPROP
Fresh water	690 L
Fuel	375 L
Holding tank	90 L

Key Facts

- Outstanding performance.
- Owner's cabin with central island berth.
- Spacious tender garage in stern.
- Electric winches.
- Hull built in Epoxy Prepreg.
- Diesel generator 6 KW.
- Mahogany interior.
- Teakdeck all over.

Description

Fast and comfortable performance-cruiser from the drawing board of German designer judel/vrolijk [&] co. With her powerful sailplan, modern hull lines and efficient appendixes the Hanse 540e offers sparkling performance and lots of fun on the water. Nevertheless she can easily be handled by a small crew thanks to self-tacking jib and the cockpit layout designed for short handed sailing. The clean, unobstructed decks and the square, low coachhouse profile create a very elegant appearance. Spacious, wide cockpit with two helm stations and free access aft to the electrohydraulic swim platform. Spacious tender garage below aft deck. Hull in stiff, light and very durable construction in epoxy prepreg. This Hanse 540e is a well maintained, fully equipped and lightly used first hand owner's yacht (she has never been chartered). Interior in satin finished mahogany with light floor boards in maple decor and 3 cabin layouts with central double island berth in forward owner's cabin and en-suite owner's heads to port at main bulkhead. The asking price is quoted excluding VAT.



Rig/Sails

- Keel stepped, 9/10 rigged SPARCRAFT mast
- Two sets of aft swept spreaders
- Manual backstay tensioner
- FACNOR headsail furling system
- LEWMAR self-tacking traveler on foredeck
- Mainsail NORTH-Sails NorLam D-cut approx. 85 m² with two reefs

- HARKEN track and car system for mainsail
- Lazy jacks
- Self-tacking jib NORTH-Sails NorLam D-cut ca. 58 m² with UV-protection
- Gennaker ONE-Sails approx. 160 m² on KARVER furler
- Gennakergear



Deck

- Teak deck on running decks, coachhouse roof, swim platform and in cockpit
- Manual stainless steel anchor bracket with gas spring (anchor and anchor fitting disappear completely in anchor locker)
- Electric anchor windlass LEWMAR below decks
- Mooring gear: CQR-anchor 34 kg with 60 m anchor chain 10 mm
- Spacious, selfdraining anchor locker
- Big sail locker below foredeck
- Electric primary winches LEWMAR 54AEST
- Manual gennaker winches LEWMAR 46.2AST
- Sprayhood

- Bimini
- Large electro-hydraulic swim platform with teak deck and remote control
- Spacious tender garage below aft deck
- Swim ladder
- Railing gates to starboard and port
- Folding mooring cleats and spring cleats
- Stern shower hot/cold
- Folding cockpit table

Interior/Layout

- Interior in satin finished mahogany
- 3 cabin layout with owner's cabin forward
- Spacious saloon with L-shaped dinette at saloon table to port
- Two sliding settees to starboard
- Chart table to port aft
- L-shaped galley to starboard aft
- Worktop in black CORIAN
- Double sink

- Large electric coolbox approx. 130 l with access from above and front
- Deep freezer approx. 80 l
- Gas stove (3 burners and oven)
- Spacious owner's cabin forward with central double island berth and ample stowage space in lockers and compartments
- En suite owner's heads compartment to port with fresh water flushed electric toilet TECMA and black CORIAN vanity top
- Two symmetric aft cabins with double berth and locker
- Two aft heads compartments to starboard and port
- LED interior lighting

Technical Equipment

- YANMAR 4JH4-HTE 4-cylinder turbodiesel 110 hp/81
 KW
- Shaft drive with 3 blade feathering propeller MAXPROP
- Retractable bowthruster MAXPOWER 7,9 KW
- Diesel generator Fischer Panda 6 KW
- 230 V shore power connection and 230 V sockets below decks
- 2 x battery charger STIRLING 12 V/50 A

- Service battery bank 12 V/350 Ah
- Separate battery bank for electric winches and anchor windlass 12 V/350 Ah
- Starter battery 12 V/180 Ah
- Diesel heater EBERSPÄCHER
- Hot water boiler 40 l
- 3 x stainless steel holding tank with deck connection and sea discharge



Navigation/Electronics

- 2 x SIMRAD IS20 instrument display in cockpit
- 2 x SIMRAD IS20 wind display in cockpit
- SIMRAD transducers for log, echo sounder and wind
- Compass
- Autopilot SIMRAD with control panel AP28 in cockpit
- 12" chartplotter SIMRAD at cockpit table(updated to EVO in 2016)
- 12" chartplotter SIMRAD at charttable(updated to EVO in 2016)

- Radar antenna SIMRAD on mast
- AIS Class B transponder SIMRAD AI50
- VHF SIMRAD RS83 Dual
- Weather receiver SEAL WE-FAX50I
- SONY stereo radio/CD/MP3-player with speakers in saloon and cockpit speakers
- Clock, barometer, hygrometer/thermometer

Safety

Manual and 2 x electric bilge pump

Three fire extinguishers





Accessories

- Gangway
- Boom cover
- Second anchor 24 kg

- Fenders
- Mooring lines

Brokerage Liability Disclaimer

All information especially regarding the VAT-status of a yacht has been supplied by third parties. It is non-binding and without guarantee, subject to error and alteration. Our brokerage relies exclusively on information supplied by the vendor carefully compiled and checked by us to the best of our knowledge. Hence, a liability for correctness and completeness of provided information cannot be assumed.















































































