



# SAFFIER SE 26

Year 2012



DIAMOND Yachts, Yachtzentrum Baltic Bay  
Börn 17 | 24235 Laboe

# SAFFIER SE 26



**Boat sold.**

## Main Info

<b>Model</b>	Saffier SE 26
<b>Manufacturer</b>	Saffier Maritiem B.V.
<b>Designer</b>	Dean Hennevanger
<b>Category</b>	Daysailer
<b>Year</b>	2012
<b>Location</b>	Deutsche Nordseeküste
<b>Flag</b>	de
<b>VAT status</b>	EU-VAT paid
<b>Material</b>	GRP
<b>Rig</b>	Sloop
<b>Cabins</b>	1
<b>Berths</b>	2

## Dimensions & Material

<b>LOA</b>	8.00 m
<b>Beam</b>	2.45 m
<b>Draft</b>	1.30 m
<b>Displacement</b>	2 t
<b>Sail area</b>	30 m <sup>2</sup>
<b>Engine</b>	YANMAR 2YM15
<b>Power</b>	14 PS/10 KW
<b>Drive</b>	Saildrive with folding propeller
<b>Fuel</b>	30 L
<b>Holding tank</b>	30 L

## Key Facts

- 100 % one-hand layout.
- Beautiful, classic lines.
- Very good performance.
- Draft: approx. 1.03 m.
- YANMAR 15 PS inboard diesel.
- Sail upgrade (Ullman membrane).
- Spacious cockpit.
- ESTHEC deck.

## Description

Exclusive daysailer for a relaxed spin in the afternoon or short cruises. The Saffier SC 8m Cabin does it all. The decklayout is designed for single-handed sailing. The clever decklayout, the selftacking jib and her easy to handle size all guarantee safe sailing without crew. Nevertheless the large cockpit provides space for guests and the comfortable, high coaming and the sprayhood offers good protection in uncomfortable conditions. Below decks, the Saffier SC 8m Cabin is surprisingly spacious and has everything you need for an extended weekend trip: Double berth forward, two single berths aft and a galley block with cooker and sink. This Saffier SC 8m Cabin is offered by her first owner and is very well maintained. Hull in dark-blue, draft: approx. 1.03 m and ESTHEC deck. The Daysailer is offered for personal reasons and is available for immediate delivery.

## Sails/Rigging

- Deck stepped, 9/10 rigged SELDEN mast
- Two sets of aft swept spreaders
- SELDEN boom with two reefs (one line reef system)
- FURLEX headsail furler with drum below decks
- Adjustable backstay
- Gennaker gear including detachable stainless steel bowsprit and gennaker halyard
- Fixed SELDEN kicker
- Mainsail Ullman-Sails approx. 19 m<sup>2</sup> (optional sail upgrade)
- Lazy jacks and lazy bag
- Selftracking jib Ullman-Sails membrane approx. 11 m<sup>2</sup>

## Deck

- ESTHEC composite deck on running decks, cockpit seats and cockpit floor
- Teak rubrails on hull sides
- HARKEN track for selftacking jib
- Coachhouse winches HARKEN 20STA
- Gennaker winches HARKEN 20STA
- Halyard stowage boxes in forward cockpit
- Teak tiller with tiller extension
- Anchor locker
- Large deck locker in cockpit to port
- Folding mooring cleats
- LEWMAR deck hatch on foredeck

## Layout/Interior

- Teak interior
- Saloon sofa with folding backrests
- Double berth forward
- Galley block to starboard with sink and cooker
- Ceiling lights and reading lights
- Electric cool box below companionway
- Plenty of storage below berths and in lockers
- Chemical toilet below forward berth
- Upholstery in navy blue

### Technical equipment

- YANMAR 2YM15 2 cylinder inboard diesel 14 hp/10 KW
- Saildrive with 2 bladed folding propeller
- Engine panel, throttle and tank indicator in cockpit
- Dieseltank approx. 30 l with electric level indicator
- 230 V shore power connection with FI protection switch and charging cable
- Batterycharger 12 V/15 A
- Service battery 12 V
- Starter battery 12 V
- Freshwater tank approx. 30 l with electric pressure pump

### Navigation/Electronics

- RAYMARINE i50 Tridata (log and echo sounder)
- Compass

### Safety

- Fire extinguisher
- Electric and manual bilge pump

### Accessoires

---

- Cover for furling jib
- Fenders
- Mooring lines

---

#### Brokerage Liability Disclaimer

All information especially regarding the VAT-status of a yacht has been supplied by third parties. It is non-binding and without guarantee, subject to error and alteration. Our brokerage relies exclusively on information supplied by the vendor carefully compiled and checked by us to the best of our knowledge. Hence, a liability for correctness and completeness of provided information cannot be assumed.