

WAUQUIEZ PILOT SALOON 40

Year 2004





WAUQUIEZ PILOT SALOON 40



Main Info

Model	Wauquiez Pilot Saloon 40
Manufacturer	Wauquiez International SAS
Designer	Berret/Racoupeau
Category	Decksaloon yacht
Year	2004
Location	Östl. Mittelmeer/Türkei
Flag	Germany
VAT status	EU-VAT paid
Material	GRP
Rig	Sloop with cutter stay
Cabins	2
Berths	4

Dimensions & Material

LOA	12.70 m
LWL	11.03 m
Beam	4.04 m
Draft	2.00 m
Displacement	10 t
Sail area	84 m²
Engine	YANMAR 4JH4E
Power	54 PS/40 KW
Drive	Shaft with MAXPROP
Fresh water	660 L
Fuel	220 L
Holding tank	85 L

Key Facts

- Bright decksaloon with 360° panorama.
- Large, folding swim platform.
- Stainless steel arch at stern.
- Spacious owner's cabin aft.
- 2. forestay with selftacking jib.
- Exclusive Burma-teak interior.
- Additional fresh water tank.
- Two cabins two heads.

Description

Luxurious decksaloon yacht built by the French quality shipyard Wauquiez International SAS (design: Berret/Racoupeau). The Pilot Saloon 40 has a bright, cosy decksaloon with elevated saloon floor (360° panorama from dinette). Spacious owner's cabin aft over the entire beam of the yacht with large, double island berth and owner's heads with separate shower. Forward guest cabin with V-shaped double berth and second heads compartment. Lots of storage space in lockers, drawers and shelves. The Wauquiez Pilot Saloon 40 has an exclusive beautiful Burma-teak interior (floorboards in teak with maple strips). Well equipped and continuously maintained owner's yacht. Special features in the specification of Pilot Saloon 40 hull-no. #114 are: Stainless steel arch aft for solar panels and dinghy, second forestay with furler for a selftacking solent jib and the additional fresh water tank (total capacity: 669 l). The yacht is sold with her extensive inventory incl. spare parts, tools, safety equipment, dinghy



Rig/Sails

- Deck stepped, 9/10 fractional SPARCRAFT mast
- Two sets of aftswept spreaders
- FACNOR genoa furler
- Second forestay with FACNOR furler for selftacking solent jib
- Spinnaker pole (stowed on mast)
- HARKEN self-tacking rail on deck
- Isolated backstay

- Fully battened mainsail Segelwerkstatt Stade approx. 38 m²
- FACNOR track and cars for mainsail
- Lazy jacks and lazy bag
- Furling genoa Segelwerkstatt Stade 140 % approx. 47
 m² with UV-protection
- Self tacking solent jib Segelwerkstatt Stade approx. 22
 m² with UV-protection
- Gennaker Segelwerkstatt Stade approx. 90 m² in snuffer
- Spinnaker/gennaker gear

Deck

- Teak on running decks, swimplatform and in cockpit
- Stainless steel rubbing strake on hull sides
- Stainless steel bow protection
- Large, self-draining anchor locker with separate storage for fenders and mooring lines on fore deck
- Electric anchor windlass LOFRANS 1.000 W below decks with DELTA-anchor 22 kg and 80 m anchor chain 10 mm
- Electric coachhouse winch ANDERSEN 40.2STE for main halyard on starboard side
- Genoa winches ANDERSEN 46.2ST
- Sprayhood
- Bimini

- Sunscreens for decksaloon windows
- Folding cockpit table
- Large folding swimplatform with free access to cockpit
- Dedicated storage space for liferaft behind swimplatform
- Swimladder
- Spring cleats
- Gates in lifelines to port and starboard
- Cockpit shower
- Stainless steel arch aft for solar panels and dinghy



Layout/Interior

- Bright decksalon with elevated floor (360° panoramic view to horizon from dinette)
- Longitudinal galley to port
 - Worktop in white Corian
 - Gas stove (2 burners and oven)
 - Refrigerator
 - Additional electric coolbox/freezer
 - Double sink
- Forward facing charttable to port aft
- Spacious owner's cabin aft over the entire beam of the yacht with queensize island double berth

- En-suite owner's heads with separate shower
- Forward guest cabin with V-shaped double berth and second heads compartment
- Plenty of storage space in lockers, drawers, shelves and under berths
- Curtains for decksaloon windows

Technical Equipment

- YANMAR 4JH4E 4 cylinder inboard diesel 54 hp/40 KW
- Shaft drive (seawater lubrication) with 3 bladed feathering propeller MAXPROP
- 230 V shore power connection and 230 V sockets in ship
- Battery charger 12 V/50 A
- Inverter 12 V/230 V
- 3 x service battery 12 V/130 Ah (new 2017)

- Starter battery 12 V/90 Ah
- Battery monitor MASTERVOLT BTM-I
- 3 x solar panel 300 W on arch at stern
- 12 V socket at charttable
- Hot water boiler 40 l
- Black water tank 85 I with Y-valve, deck connection and sea-discharge

Navigation/ Electronics

- RAYMARINE ST60 Tridata (log and echosounder)
- ST60 Wind
- Autopilot RAYMARINE ST6001 with remote control RAYMARINE ST600R
- GPS/chartplotter RAYMARINE C80
- Shortwave transmitter/receiver ICOM IC-706 MKII (transmitting power: 100 W) with intergrated VHFradio and automatic antenna-tuner on isolated backstay
- Modem Pactor 3 for weather forcast and GRIB-files when out of reach of internet

- Handheld VHF
- Compass
- Radio/CD-player with two loudspeakers in saloon and two cockpit speakers
- TV flatscreen 28" with DVD-player
- Barometer

Year 2004

Generated on: 06 07 2025

Safety

- Liferaft 4 pers. in container
- EPIRB
- Active radar reflector
- Gasalarm

- Life jackets
- Jackstays on deck
- Electric and manual bilge pump

Accessories

- Dinghy (inflatable 2,80 m) with outboard engine SUZUKI 2,2 hp
- Full winter cover
- Spare anchor (Cobra-anchor 18 kg)
- Spare parts

- Tools
- Fenders
- Mooring lines
- WAUQUIEZ crockery and cutlery

Brokerage Liability Disclaimer

All information especially regarding the VAT-status of a yacht has been supplied by third parties. It is non-binding and without guarantee, subject to error and alteration. Our brokerage relies exclusively on information supplied by the vendor carefully compiled and checked by us to the best of our knowledge. Hence, a liability for correctness and completeness of provided information cannot be assumed.















































































